

CAPSUGEL®







PCcaps™ to Speed

Features & Benefits

- Excipients no longer needed to homogenize the active ingredient
- Solvents unnecessary
 which may not be compatible with
 the normal physiology of the animal
- Facilitates delivery of the **right dose**
- Prevents regurgitation and upper GIT irritation
- Masks taste and odour which facilitates administration
- This uniquely shaped two-piece hard gelatin capsule is compatible with contents from non-aqueous liquid to granules
- PCcaps[™] are suitable for coating

Performing pharmacokinetic or safety studies with rodents is a critical part of the preclinical tests which must be performed before first entry to human clinical trials.

It is also said that conducting of safety studies is often rate-limiting to the clinical program. For rodents, forced administration should be employed for oral administration which implies delivering the exact dose in an appropriate vehicle.

In our continuing effort to bring meaningful solutions to pharmaceutical scientists, we are offering a new line of two-piece hard gelatin capsules, PCcaps™ for pre-clinical studies.

up Pre-Clinical Trials



Americas

Greenwood, SC 535 North Emerald Road Greenwood, SC 29646

Tel: 864-223-2270/800-845-6973

Fax: 864-942-3848

Puebla, Mexico

Carr. Mexico-Veracruz No. 1030 C.P. 72270, Puebla, Mexico

Tel: 52-22-82-62-18 Fax: 52-22-82-64-49

Rio de Janeiro Estrada Mal. Miguel Salazar Mendes de Moraes Nr. 969 Jacarepagua CEP 22770-033 Rio de Janeiro, Brazil Tel: 55-21-445-5777 Fax: 55-21-445-1950

Europe

Bornem, Belgium Rijksweg 11 B-2880 Bornem, Belgium

Tel: 32-3-890-05-11 Fax: 32-3-889-26-22

Colmar, France 10, Rue Timken F-68027 Colmar Cedex, France

Tel: 33-3-89-20-57-09 Fax: 33-3-89-41-48-11

Asia

Bangkok, Thailand 32/46 Sino-Thai Tower, 18th Floor Asoke Road Sukhumvit 21 Banakok 10110 Thailand

Tel: 662-259-2400 Fax: 662-259-2401

Indonesia Jl. Raya Bogor Km 42 Cibinong, Jawa Barat Indonesia

Tel: 62-21-875-2226 Fax: 62-21-875-2227


Sagamihara, Japan 3-36 Minamihashimoto, 4-chome Sagamihara City Kanagawa Prefecture Japan 229-1133

Tel: 81-427-70-4601 Fax: 81-427-71-7397

Suzhou, China Yellow Stone Bridge Suxie Highway Suzhou 215006 Jiangsu Province Peoples Republic of China Tel: 86-512-761-6666

Fax: 86-512-761-8807







Capacity

Volume = 0.02 ml

Sizes	Drug bulk density			
	0.6	0.8	1.0	1.2
Approximate capacity in mg	12	16	20	24



White opaque.

